

Louisiana Office of Public Health

HIV/AIDS Surveillance Program

DeAnn Gruber, PhD, LCSW

Administrative Director

Debbie Wendell, PhD, MPH

Data Management/Analysis Manager

Jessica Fridge, MSPH

Surveillance Program Manager

Editor/Production:

Demerial Banks

Data Management/Analysis and Surveillance:

Demerial Banks, MPH, Surveillance Epidemiologist
Tania Bechtel, Data Manager
Joseph Foxhood, BA, OPH IT Project Manager
George Stephens, Information Systems Administrator
Josette Russell, Data Entry Specialist
William T. Robinson, Ph.D., Biostatistician
Rashad Arcement, MSPH, Incidence & Resistance Coordinator

Field Epidemiologists:

Betsy Shepard, PAC, MPH, Epidemiologist Supervisor

James Hubbard Connie Gordon Region 1 Regions 1, 3 Cheryl Edney, BS MT(ASCP) Gayle Norris, MA Gale Terry, LPN Regions 4, 5, 6 Regions 7, 8 Regions 2, 9 _____

TABLE OF CONTENTS

Contents	Page
Surveillance Summary	1
Louisiana: Persons Living with HIV/AIDS	2
Persons Living with AIDS	3
Persons newly diagnosed with HIV/AIDS	4
Parish: Persons Living with HIV/AIDS	5
Persons Living with AIDS	6
Metro New Orleans: Persons Living with HIV/AIDS	7
Persons Living with AIDS	8
Persons newly diagnosed with HIV/AIDS	9
Metro Baton Rouge: Persons Living with HIV/AIDS	10
Persons Living with AIDS	11
Persons newly diagnosed with HIV/AIDS	12
Region 1: Persons Living with HIV/AIDS	13
Persons Living with AIDS	14
Persons newly diagnosed with HIV/AIDS	15
Region 2: Persons Living with HIV/AIDS	16
Persons Living with AIDS	17
Persons newly diagnosed with HIV/AIDS	18
Region 3: Persons Living with HIV/AIDS	19
Persons Living with AIDS	20
Persons newly diagnosed with HIV/AIDS	21
Region 4: Persons Living with HIV/AIDS	22
Persons Living with AIDS	23
Persons newly diagnosed with HIV/AIDS	24
Region 5: Persons Living with HIV/AIDS	25
Persons Living with AIDS	26
Persons newly diagnosed with HIV/AIDS	27
Region 6: Persons Living with HIV/AIDS	28
Persons Living with AIDS	29
Persons newly diagnosed with HIV/AIDS	30
Region 7: Persons Living with HIV/AIDS	31
Persons Living with AIDS	32
Persons newly diagnosed with HIV/AIDS	33
Region 8: Persons Living with HIV/AIDS	34
Persons Living with AIDS	35
Persons newly diagnosed with HIV/AIDS	36
Region 9: Persons Living with HIV/AIDS	37
Persons Living with AIDS	38
Persons newly diagnosed with HIV/AIDS	39
List of Figures	4.0
Louisiana: 10-Year Trends New HIV and New AIDS Diagnoses (2002-2011)	40
New HIV Diagnoses	
New AIDS Diagnoses	
Louisiana: 10-Year Persons Living with HIV/AIDS Trends (2002-2011)	41
Persons Living with HIV/AIDS	
Persons Living with AIDS	

Surveillance Summary

Data in this report includes cases diagnosed with HIV/AIDS and reported as of September 30, 2012¹.

- Nationally, Louisiana ranked **4**th highest in AIDS case rates and **11**th in the number of AIDS cases diagnosed in 2010, according to the *CDC 2010 HIV Surveillance Report (Vol. 22)*.
- Baton Rouge ranked **1**st for AIDS case rates among the largest metropolitan areas in the U.S. in 2010; New Orleans ranked **5**th.
- A total of **18,493** persons are living with HIV/AIDS in Louisiana; of these individuals, **10,123** persons (55%) have an AIDS diagnosis.
- Among women living with HIV/AIDS, the predominant known mode of transmission is high-risk heterosexual contact followed by injection drug use. Among men living with HIV/AIDS, the predominant mode of transmission is men who have sex with men followed by high-risk heterosexual contact.
- The primary risk factor for new HIV diagnoses in Louisiana is men who have sex with men (MSM). In 2011, of the persons who reported a risk factor, **59%** reported being MSM, and an additional **2%** reported being MSM and an injection drug user (IDU). As of September 30, 2012, **50%** of all people living with HIV infection in Louisiana were MSM.
- In 2011, **1,275** new HIV cases were diagnosed in Louisiana. Of these cases, **34%** (n=432) occurred in Region 1 (New Orleans) and **24%** (n=301) occurred in Region 2 (Baton Rouge).
- In 2011, **794** new AIDS cases were diagnosed in Louisiana. Of these cases, **33%** (n=260) occurred in Region 1 (New Orleans) and **28%** (n=219) occurred in Region 2 (Baton Rouge).
- In Louisiana, 29% of new HIV cases and 28% of new AIDS cases are among women.
- HIV continues to disproportionately affect African Americans in Louisiana. In 2011, 74% of newly diagnosed HIV cases and 76% of newly diagnosed AIDS cases were among African Americans.
- A large percentage of new diagnoses occurred among adolescents and young adults. In 2011, 25% of all new HIV diagnoses occurred among persons 13-24 years old and an additional 30% occurred among persons 25-34 years old.
- As of September 30, 2012, a cumulative total of **32,904** HIV/AIDS cases have been reported in Louisiana, including **333** pediatric cases.
- The cumulative number of deaths among persons diagnosed with HIV/AIDS, reported to the Louisiana Office of Public Health through September 30, 2012, is **14,057** including **111** deaths among pediatric cases.

¹Please note: This report reflects only information reported to Louisiana's HIV/AIDS surveillance system.

Persons Living with HIV/AIDS Louisiana as of September 30, 2012

- **32,904** cumulative cases have been detected in Louisiana, including **333** pediatric cases.
- 14,057 cumulative deaths among persons with HIV/AIDS have occurred in Louisiana, including 111 pediatric deaths.
- 18,493 persons are currently living with HIV/AIDS in Louisiana.

Persons living with HIV: **8,370**Persons living with AIDS: **10,123**

<u>Gender</u>

	Cases	Percent
Women	5,567	30 %
Men	12,926	70 %
Total	18,493	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	73	<1 %	Black, Non-Hispanic	8,042	4,616	12,658	68 %
13 - 19	171	1 %	White, Non-Hispanic	4,156	775	4,931	27 %
20 - 24	867	5 %	Hispanic	565	129	694	4 %
25 - 29	1,544	8 %	Asian/Pacific Islander	50	12	62	<1 %
30 - 34	2,062	11 %	American Indian	25	6	31	<1 %
35 - 39	2,140	12 %	Unknown	7	1	8	<1 %
40 - 44	2,438	13 %	Multi-race	81	28	109	1 %
45 - 49	2,926	16 %	Total	12,926	5,567	18,493	100 %
50 - 54	2,744	15 %					
55 - 59	1,875	10 %					
60+	1,653	9 %					
Total	18,493	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	6,118	0	6,118	50 %
Injection drug use	1,125	662	1,787	15 %
Men who have sex with men and inject drugs	811	0	811	7 %
Heterosexual contact	1,066	2,218	3,284	27 %
Transfusion/Hemophilia	48	32	80	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	93	101	194	2 %
Total	9,261	3,014	12,275	100 %
No Identified Risk	3,665	2,553	6,218	

Persons Living with AIDS Louisiana as of September 30, 2012

• 22,289 cumulative AIDS cases have been diagnosed in Louisiana, including 176 pediatric cases.

100 %

• 10,123 persons are currently living with AIDS in Louisiana.

<u>Gender</u>		
	Cases	Percent
Women	2,837	28 %
Men	7,286	72 %

10,123

Total

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	12	<1 %	Black, Non-Hispanic	4,545	2,380	6,925	68 %
13 - 19	61	1 %	White, Non-Hispanic	2,369	356	2,725	27 %
20 - 24	244	2 %	Hispanic	292	81	373	4 %
25 - 29	538	5 %	Asian/Pacific	22	5	27	<1 %
30 - 34	898	9 %	American Indian	11	2	13	<1 %
35 - 39	1,137	11 %	Multi-race	47	13	60	1 %
40 - 44	1,406	14 %	Total	7,286	2,837	10,123	100 %
45 - 49	1,821	18 %					
50 - 54	1,718	17 %					
55 - 59	1,217	12 %					
60+	1,071	11 %					
Total	10,123	100 %					

Exposure Category				
Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	3,358	0	3,358	48 %
Injection drug use	774	377	1,151	16 %
Men who have sex with men and inject drugs	561	0	561	8 %
Heterosexual contact	639	1,179	1,818	26 %
Transfusion/Hemophilia	34	22	56	1 %
Perinatal	38	45	83	1 %
Total	5,404	1,623	7,027	100 %
No Identified Risk	1,882	1,214	3,096	

Persons Newly Diagnosed with HIV/AIDS Louisiana

HIV CASES DIAGNOSED January - December 2011

• 1,275 persons were newly diagnosed with HIV in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	902	71 %	Black, Non-Hispanic	943	74 %
Women	373	29 %	White, Non-Hispanic	242	19 %
Total	1,275	100 %	Hispanic	77	6 %
			Asian/Pacific Islander	3	<1 %
			American Indian	3	<1 %
			Unknown	2	<1 %
			Multi-race	5	<1 %
			Total	1,275	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	4	<1 %	Men who have sex with men	491	59 %
13 - 24	323	25 %	Injection drug use	63	8 %
25 - 34	380	30 %	Men who have sex with men and inject drugs	16	2 %
35 - 44	243	19 %	Heterosexual contact	252	30 %
45+	325	25 %	Perinatal	5	1 %
Total	1,275	100 %	Total	827	100 %

No Identified Risk 448

AIDS CASES DIAGNOSED January - December 2011

• 794 persons were newly diagnosed with AIDS in Louisiana.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	569	72 %	Black, Non-Hispanic	604	76 %
Women	225	28 %	White, Non-Hispanic	154	19 %
Total	794	100 %	Hispanic	32	4 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	3	<1 %
			Total	794	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	<1 %	Men who have sex with men	265	53 %
13 - 24	82	10 %	Injection drug use	76	15 %
25 - 34	222	28 %	Men who have sex with men and inject drugs	9	2 %
35 - 44	214	27 %	Heterosexual contact	142	28 %
45+	275	35 %	Perinatal	8	2 %
Total	794	100 %	Total	500	100 %

No Identified Risk 294

Persons Living with HIV/AIDS by Parish as of September 30, 2012

Third Quarter 2012

<u>Parish</u>	Living Cases	<u>Parish</u>	Living Cases
Acadia	96	Sabine	22
Allen	240	St. Bernard	143
Ascension	196	St. Charles	94
Assumption	25	St. Helena	20
Avoyelles	140	St. James	57
Beauregard	47	St. John the Baptist	160
Bienville	27	St. Landry	267
Bossier	169	St. Martin	106
Caddo	981	St. Mary	78
Calcasieu	648	St. Tammany	380
Caldwell	17	Tangipahoa	343
Cameron	4	Tensas	35
Catahoula	28	Terrebonne	192
Claiborne	65	Union	37
Concordia	45	Vermilion	91
De Soto	55	Vernon	62
East Baton Rouge	3,664	Washington	179
East Carroll	32	Webster	60
East Feliciana	159	West Baton Rouge	96
Evangeline	78	West Carroll	14
Franklin	33	West Feliciana	147
Grant	31	Winn	52
Iberia	115		
Iberville	437		
Jackson	30		
Jefferson	1,692		
Jefferson Davis	60		
La Salle	29		
Lafayette	677		
Lafourche	123		
Lincoln	81		
Livingston	176		
Madison	39		
Morehouse	62		
Natchitoches	117		
Orleans	4,305		
Ouachita	567		
Plaquemines	34		
Pointe Coupee	55		
Rapides	422		
Red River	10		
Richland	44		

Total 18,493

Persons Living with AIDS by Parish as of September 30, 2012

Third Quarter 2012

Parish	Living Cases	<u>Parish</u>	Living Cases
Acadia	53	Sabine	16
Allen	123	St. Bernard	86
Ascension	98	St. Charles	46
Assumption	12	St. Helena	12
Avoyelles	74	St. James	33
Beauregard	30	St. John the Baptist	90
Bienville	13	St. Landry	155
Bossier	85	St. Martin	61
Caddo	511	St. Mary	49
Calcasieu	373	St. Tammany	215
Caldwell	9	Tangipahoa	187
Cameron	3	Tensas	15
Catahoula	16	Terrebonne	113
Claiborne	38	Union	27
Concordia	24	Vermilion	55
De Soto	31	Vernon	28
East Baton Rouge	2,001	Washington	95
East Carroll	19	Webster	24
East Feliciana	89	West Baton Rouge	58
Evangeline	41	West Carroll	6
Franklin	11	West Feliciana	93
Grant	17	Winn	30
Iberia	66		
Iberville	261		
Jackson	19		
Jefferson	930		
Jefferson Davis	35		
La Salle	12		
Lafayette	352		
Lafourche	77		
Lincoln	40		
Livingston	98		
Madison	21		
Morehouse	34		
Natchitoches	58		
Orleans	2,355		
Ouachita	299		
Plaquemines	23		
Pointe Coupee	34		
Rapides	211		
Red River	8		
Richland	25		

Total 10,123

Persons Living with HIV/AIDS Metro New Orleans

as of September 30, 2012

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- 15,313 cumulative cases have been detected in the New Orleans MSA, including 159 pediatric cases.
- 6,634 cumulative deaths among persons with HIV/AIDS have occurred in the New Orleans MSA, including **54** pediatric deaths
- 6,865 persons are currently living with HIV/AIDS in the New Orleans MSA.

Persons living with HIV: 3,087 Persons living with AIDS: 3,778

Gender

	Cases	Percent
Women	1,829	27 %
Men	5,036	73 %
Total	6,865	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	26	<1 %	Black, Non-Hispanic	2,741	1,491	4,232	62 %
13 - 19	54	1 %	White, Non-Hispanic	1,939	232	2,171	32 %
20 - 24	301	4 %	Hispanic	291	91	382	6 %
25 - 29	556	8 %	Asian/Pacific Islander	26	6	32	<1 %
30 - 34	711	10 %	American Indian	7	0	7	<1 %
35 - 39	725	11 %	Unknown	3	1	4	<1 %
40 - 44	885	13 %	Multi-race	29	8	37	1 %
45 - 49	1,110	16 %	Total	5,036	1,829	6,865	100 %
50 - 54	1,036	15 %					
55 - 59	737	11 %					
60+	724	11 %					
Total	6,865	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,652	0	2,652	57 %
Injection drug use	341	203	544	12 %
Men who have sex with men and inject drugs	280	0	280	6 %
Heterosexual contact	335	710	1,045	23 %
Transfusion/Hemophilia	18	14	32	1 %
Perinatal	28	41	69	1 %
Total	3,654	968	4,622	100 %
No Identified Risk	1,382	861	2,243	

Persons Living with AIDS Metro New Orleans as of September 30, 2012

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

- 10,520 cumulative AIDS cases have been diagnosed in the New Orleans MSA, including 83 pediatric cases.
- 3,778 persons are currently living with AIDS in the New Orleans MSA.

Gender

	Cases	Percent
Women	960	25 %
Men	2,818	75 %
Total	3,778	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1,534	793	2,327	62 %
13 - 19	20	1 %	White, Non-Hispanic	1,090	98	1,188	31 %
20 - 24	89	2 %	Hispanic	162	62	224	6 %
25 - 29	183	5 %	Asian/Pacific Islander	11	3	14	<1 %
30 - 34	303	8 %	American Indian	2	0	2	<1 %
35 - 39	375	10 %	Multi-race	19	4	23	1 %
40 - 44	511	14 %	Total	2,818	960	3,778	100 %
45 - 49	685	18 %					
50 - 54	661	17 %					
55 - 59	481	13 %					
60+	466	12 %					
Total	3,778	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,465	0	1,465	55 %
Injection drug use	220	114	334	13 %
Men who have sex with men and inject	193	0	193	7 %
Heterosexual contact	210	399	609	23 %
Transfusion/Hemophilia	12	9	21	1 %
Perinatal	12	19	31	1 %
Total	2,112	541	2,653	100 %
No Identified Risk	706	419	1.125	

Persons Newly Diagnosed with HIV/AIDS Metro New Orleans

Jefferson, Orleans, St. Tammany, St. John the Baptist, Plaquemines, St. Bernard, St. James, St. Charles Parishes

HIV CASES DIAGNOSED January - December 2011

• 480 persons were newly diagnosed with HIV in the New Orleans MSA.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	365	76 %	Black, Non-Hispanic	334	70 %
Women	115	24 %	White, Non-Hispanic	105	22 %
Total	480	100 %	Hispanic	40	8 %
			Multi-race	1	<1 %
			Total	480	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	2	<1 %	Men who have sex with men	202	63 %
13 - 24	110	23 %	Injection drug use	29	9 %
25 - 34	147	31 %	Men who have sex with men and inject drugs	7	2 %
35 - 44	84	18 %	Heterosexual contact	78	24 %
45+	137	29 %	Perinatal	3	1 %
Total	480	100 %	Total	319	100 %

No Identified Risk 161

AIDS CASES DIAGNOSED January - December 2011

• 287 persons were newly diagnosed with AIDS in the New Orleans MSA.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	208	72 %	Black, Non-Hispanic	199	69 %
Women	79	28 %	White, Non-Hispanic	71	25 %
Total	287	100 %	Hispanic	16	6 %
			Multi-race	1	<1 %
			Total	287	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	25	9 %	Men who have sex with men	107	61 %
25 - 34	78	27 %	Injection drug use	22	13 %
35 - 44	72	25 %	Men who have sex with men and inject drugs	5	3 %
45+	112	39 %	Heterosexual contact	39	22 %
Total	287	100 %	Perinatal	2	1 %
			Total	175	100 %

No Identified Risk

112

Persons Living with HIV/AIDS Metro Baton Rouge

as of September 30, 2012

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- 7,541 cumulative cases have been detected in the Baton Rouge MSA, including 75 pediatric cases.
- 3,174 cumulative deaths among persons with HIV/AIDS have occurred in the Baton Rouge MSA, including 19 pediatric deaths
- 4,950 persons are currently living with HIV/AIDS in the Baton Rouge MSA.

Persons living with HIV: 2,206 Persons living with AIDS: 2,744

Gender

	Cases	Percent
Women	1,818	37 %
Men	3,132	63 %
Total	4,950	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	24	<1 %	Black, Non-Hispanic	2,428	1,637	4,065	82 %
13 - 19	51	1 %	White, Non-Hispanic	632	160	792	16 %
20 - 24	228	5 %	Hispanic	47	13	60	1 %
25 - 29	447	9 %	Asian/Pacific Islander	8	2	10	<1 %
30 - 34	592	12 %	American Indian	2	1	3	<1 %
35 - 39	638	13 %	Multi-race	15	5	20	<1 %
40 - 44	695	14 %	Total	3,132	1,818	4,950	100 %
45 - 49	702	14 %					
50 - 54	695	14 %					
55 - 59	453	9 %					
60+	425	9 %					
Total	4.950	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,177	0	1,177	39 %
Injection drug use	400	242	642	21 %
Men who have sex with men and inject drugs	205	0	205	7 %
Heterosexual contact	313	644	957	31 %
Transfusion/Hemophilia	7	10	17	1 %
Perinatal	31	27	58	2 %
Total	2,133	923	3,056	100 %
No Identified Risk	999	895	1,894	

Persons Living with AIDS Metro Baton Rouge as of September 30, 2012

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

- **5,099** cumulative AIDS cases have been diagnosed in the Baton Rouge MSA, including **33** pediatric cases.
- 2,744 persons are currently living with AIDS in the Baton Rouge MSA.

Gender

	Cases	Percent
Women	925	34 %
Men	1,819	66 %
Total	2,744	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	1,422	846	2,268	83 %
13 - 19	17	1 %	White, Non-Hispanic	359	70	429	16 %
20 - 24	69	3 %	Hispanic	24	8	32	1 %
25 - 29	162	6 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	264	10 %	American Indian	2	0	2	<1 %
35 - 39	346	13 %	Multi-race	9	1	10	<1 %
40 - 44	415	15 %	Total	1,819	925	2,744	100 %
45 - 49	450	16 %					
50 - 54	441	16 %					
55 - 59	294	11 %					
60+	283	10 %					
Total	2,744	100 %					

Ex	oosure	<u>Cate</u>	gor	V

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	643	0	643	36 %
Injection drug use	307	143	450	25 %
Men who have sex with men and inject drugs	146	0	146	8 %
Heterosexual contact	180	342	522	29 %
Transfusion/Hemophilia	5	8	13	1 %
Perinatal	11	8	19	1 %
Total	1,292	501	1,793	100 %
No Identified Risk	527	424	951	

Persons Newly Diagnosed with HIV/AIDS Metro Baton Rouge

Ascension, East Baton Rouge, East Feliciana, Iberville, Livingston, Pointe Coupee, St. Helena, West Baton Rouge, West Feliciana Parishes

HIV CASES DIAGNOSED January - December 2011

• 314 persons were newly diagnosed with HIV in the Baton Rouge MSA.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	198	63 %	Black, Non-Hispanic	268	85 %
Women	116	37 %	White, Non-Hispanic	40	13 %
Total	314	100 %	Hispanic	3	1 %
			Asian/Pacific Islander	1	<1 %
			American Indian	1	<1 %
			Multi-race	1	<1 %
			Total	314	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	84	27 %	Men who have sex with men	93	51 %
25 - 34	96	31 %	Injection drug use	15	8 %
35 - 44	64	20 %	Men who have sex with men and inject drugs	3	2 %
45+	70	22 %	Heterosexual contact	72	39 %
Total	314	100 %	Total	183	100 %

No Identified Risk 131

AIDS CASES DIAGNOSED January - December 2011

• 228 persons were newly diagnosed with AIDS in the Baton Rouge MSA.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	154	68 %	Black, Non-Hispanic	205	90 %
Women	74	32 %	White, Non-Hispanic	19	8 %
Total	228	100 %	Hispanic	2	1 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	1	<1 %
			Total	228	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	23	10 %	Men who have sex with men	54	39 %
25 - 34	64	28 %	Injection drug use	31	22 %
35 - 44	66	29 %	Men who have sex with men and inject drugs	1	1 %
45+	75	33 %	Heterosexual contact	51	36 %
Total	228	100 %	Perinatal	3	2 %
			Total	140	100 %

No Identified Risk

88

Persons Living with HIV/AIDS Region 1: New Orleans Region as of September 30, 2012

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- 14,367 cumulative cases have been detected in Region 1, including 142 pediatric cases.
- **6,242** cumulative deaths among persons in Region 1 with HIV/AIDS have occurred, including **49** pediatric deaths.
- 6,174 persons are currently living with HIV/AIDS in Region 1.

Persons living with HIV: 2,780 Persons living with AIDS: 3,394

Gender

	Cases	Percent
Women	1,641	27 %
Men	4,533	73 %
Total	6,174	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	20	<1 %	Black, Non-Hispanic	2,525	1,365	3,890	63 %
13 - 19	43	1 %	White, Non-Hispanic	1,672	178	1,850	30 %
20 - 24	265	4 %	Hispanic	277	83	360	6 %
25 - 29	502	8 %	Asian/Pacific Islander	24	6	30	<1 %
30 - 34	643	10 %	American Indian	7	0	7	<1 %
35 - 39	668	11 %	Unknown	3	1	4	<1 %
40 - 44	790	13 %	Multi-race	25	8	33	1 %
45 - 49	983	16 %	Total	4,533	1,641	6,174	100 %
50 - 54	932	15 %					
55 - 59	662	11 %					
60+	666	11 %					
Total	6,174	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	2,365	0	2,365	57 %
Injection drug use	314	185	499	12 %
Men who have sex with men and inject drugs	259	0	259	6 %
Heterosexual contact	301	635	936	23 %
Transfusion/Hemophilia	15	13	28	1 %
Perinatal	21	34	55	1 %
Total	3,275	867	4,142	100 %
No Identified Risk	1.258	774	2.032	

Persons Living with AIDS Region 1: New Orleans Region as of September 30, 2012

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

- 9,852 cumulative AIDS cases have been diagnosed in Region 1, including 74 pediatric cases.
- 3,394 persons are currently living with AIDS in Region 1.

<u>Gender</u>	Cases	Percent
Women	868	26 %
Men	2,526	74 %
Total	3,394	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent	-	Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	1,406	729	2,135	63 %
13 - 19	15	<1 %	White, Non-Hispanic	938	75	1,013	30 %
20 - 24	74	2 %	Hispanic	153	57	210	6 %
25 - 29	171	5 %	Asian/Pacific Islander	10	3	13	<1 %
30 - 34	272	8 %	American Indian	2	0	2	<1 %
35 - 39	342	10 %	Multi-race	17	4	21	1 %
40 - 44	454	13 %	Total	2,526	868	3,394	100 %
45 - 49	607	18 %					
50 - 54	598	18 %					
55 - 59	434	13 %					
60+	423	12 %					
Total	3,394	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,308	0	1,308	55 %
Injection drug use	202	105	307	13 %
Men who have sex with men and inject drugs	178	0	178	7 %
Heterosexual contact	188	361	549	23 %
Transfusion/Hemophilia	9	8	17	1 %
Perinatal	8	16	24	1 %
Total	1,893	490	2,383	100 %
No Identified Risk	633	378	1,011	

Persons Newly Diagnosed with HIV/AIDS Region 1: New Orleans Region

Jefferson, Orleans, Plaquemines, St. Bernard Parishes

HIV CASES DIAGNOSED January - December 2011

• 432 persons were newly diagnosed with HIV in Region 1.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	328	76 %	Black, Non-Hispanic	299	69 %
Women	104	24 %	White, Non-Hispanic	94	22 %
Total	432	100 %	Hispanic	38	9 %
			Multi-race	1	<1 %
			Total	432	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	2	<1 %	Men who have sex with men	178	64 %
13 - 24	91	21 %	Injection drug use	27	10 %
25 - 34	136	31 %	Men who have sex with men and inject drugs	6	2 %
35 - 44	78	18 %	Heterosexual contact	66	24 %
45+	125	29 %	Perinatal	3	1 %
Total	432	100 %	Total	280	100 %

No Identified Risk 152

AIDS CASES DIAGNOSED January - December 2011

• 260 persons were newly diagnosed with AIDS in Region 1.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	186	72 %	Black, Non-Hispanic	183	70 %
Women	74	28 %	White, Non-Hispanic	62	24 %
Total	260	100 %	Hispanic	15	6 %
			Total	260	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	21	8 %	Men who have sex with men	93	60 %
25 - 34	74	28 %	Injection drug use	21	14 %
35 - 44	63	24 %	Men who have sex with men and inject drugs	5	3 %
45+	102	39 %	Heterosexual contact	34	22 %
Total	260	100 %	Perinatal	2	1 %
			Total	155	100 %

No Identified Risk 105

Persons Living with HIV/AIDS Region 2: Baton Rouge Region as of September 30, 2012

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **7,286** cumulative cases have been detected in Region 2, including **70** pediatric cases.
- 3,064 cumulative deaths among persons in Region 2 with HIV/AIDS have occurred, including 16 pediatric deaths.
- 4,754 persons are currently living with HIV/AIDS in Region 2.

Persons living with HIV: **2,120** Persons living with AIDS: **2,634**

Gender

	Cases	Percent
Women	1,758	37 %
Men	2,996	63 %
Total	4.754	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	22	<1 %	Black, Non-Hispanic	2,383	1,615	3,998	84 %
13 - 19	50	1 %	White, Non-Hispanic	544	124	668	14 %
20 - 24	220	5 %	Hispanic	44	12	56	1 %
25 - 29	435	9 %	Asian/Pacific Islander	8	1	9	<1 %
30 - 34	578	12 %	American Indian	2	1	3	<1 %
35 - 39	612	13 %	Multi-race	15	5	20	<1 %
40 - 44	665	14 %	Total	2,996	1,758	4,754	100 %
45 - 49	670	14 %					
50 - 54	659	14 %					
55 - 59	438	9 %					
60+	405	9 %					
Total	4,754	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	1,111	0	1,111	38 %
Injection drug use	384	231	615	21 %
Men who have sex with men and inject drugs	197	0	197	7 %
Heterosexual contact	299	622	921	32 %
Transfusion/Hemophilia	6	10	16	1 %
Perinatal	30	25	55	2 %
Total	2,027	888	2,915	100 %
No Identified Risk	969	870	1,839	

Persons Living with AIDS Region 2: Baton Rouge Region as of September 30, 2012

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

- **4,931** cumulative AIDS cases have been diagnosed in Region 2, including **31** pediatric cases.
- 2,634 persons are currently living with AIDS in Region 2.

<u>Gender</u>	Cases	Percent		
Women	894	34 %		
Men	1,740	66 %		
Total	2,634	100 %		

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	1,394	834	2,228	85 %
13 - 19	17	1 %	White, Non-Hispanic	309	52	361	14 %
20 - 24	66	3 %	Hispanic	23	7	30	1 %
25 - 29	159	6 %	Asian/Pacific Islander	3	0	3	<1 %
30 - 34	258	10 %	American Indian	2	0	2	<1 %
35 - 39	333	13 %	Multi-race	9	1	10	<1 %
40 - 44	399	15 %	Total	1,740	894	2,634	100 %
45 - 49	427	16 %					
50 - 54	417	16 %					
55 - 59	283	11 %					
60+	272	10 %					
Total	2,634	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	607	0	607	35 %
Injection drug use	293	137	430	25 %
Men who have sex with men and inject drugs	142	0	142	8 %
Heterosexual contact	171	330	501	29 %
Transfusion/Hemophilia	4	8	12	1 %
Perinatal	11	7	18	1 %
Total	1,228	482	1,710	100 %
No Identified Risk	512	412	924	

Persons Newly Diagnosed with HIV/AIDS Region 2: Baton Rouge Region

Ascension, East Baton Rouge, East Feliciana, Iberville, Pointe Coupee, West Baton Rouge, West Feliciana Parishes

HIV CASES DIAGNOSED January - December 2011

• 301 persons were newly diagnosed with HIV in Region 2.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	190	63 %	Black, Non-Hispanic	266	88 %
Women	111	37 %	White, Non-Hispanic	30	10 %
Total	301	100 %	Hispanic	2	1 %
			Asian/Pacific Islander	1	<1 %
			American Indian	1	<1 %
			Multi-race	1	<1 %
			Total	301	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	81	27 %	Men who have sex with men	89	51 %
25 - 34	95	32 %	Injection drug use	14	8 %
35 - 44	60	20 %	Men who have sex with men and inject drugs	3	2 %
45+	65	22 %	Heterosexual contact	69	39 %
Total	301	100 %	Total	175	100 %

No Identified Risk 126

AIDS CASES DIAGNOSED January - December 2011

• 219 persons were newly diagnosed with AIDS in Region 2.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	148	68 %	Black, Non-Hispanic	201	92 %
Women	71	32 %	White, Non-Hispanic	15	7 %
Total	219	100 %	Hispanic	1	<1 %
			Asian/Pacific Islander	1	<1 %
			Multi-race	1	<1 %
			Total	219	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	23	11 %	Men who have sex with men	52	39 %
25 - 34	63	29 %	Injection drug use	30	22 %
35 - 44	61	28 %	Men who have sex with men and inject drugs	1	1 %
45+	72	33 %	Heterosexual contact	49	36 %
Total	219	100 %	Perinatal	3	2 %
			Total	135	100 %

No Identified Risk

84

Persons Living with HIV/AIDS Region 3: Houma Region

as of September 30, 2012

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

- 1,082 cumulative cases have been detected in Region 3, including 17 pediatric cases.
- 493 cumulative deaths among persons in Region 3 with HIV/AIDS have occurred, including 8 pediatric deaths.
- 729 persons are currently living with HIV/AIDS in Region 3.

Persons living with HIV: 309 Persons living with AIDS: 420

Gender

	Cases	Percent
Women	230	32 %
Men	499	68 %
Total	729	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	263	172	435	60 %
13 - 19	13	2 %	White, Non-Hispanic	210	49	259	36 %
20 - 24	42	6 %	Hispanic	17	5	22	3 %
25 - 29	79	11 %	Asian/Pacific Islander	2	1	3	<1 %
30 - 34	75	10 %	American Indian	1	2	3	<1 %
35 - 39	81	11 %	Multi-race	6	1	7	1 %
40 - 44	92	13 %	Total	499	230	729	100 %
45 - 49	107	15 %					
50 - 54	101	14 %					
55 - 59	77	11 %					
60+	59	8 %					
Total	729	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	278	0	278	55 %
Injection drug use	38	20	58	12 %
Men who have sex with men and inject drugs	17	0	17	3 %
Heterosexual contact	32	105	137	27 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	6	5	11	2 %
Total	371	131	502	100 %
No Identified Risk	128	99	227	

Persons Living with AIDS Region 3: Houma Region as of September 30, 2012

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

- **805** cumulative AIDS cases have been diagnosed in Region 3, including **10** pediatric cases.
- 420 persons are currently living with AIDS in Region 3.

<u>Gender</u>	Cases	Percent		
Women	124	30 %		
Men	296	70 %		
Total	420	100 %		

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	4	1 %	Black, Non-Hispanic	162	93	255	61 %
20 - 24	17	4 %	White, Non-Hispanic	117	24	141	34 %
25 - 29	28	7 %	Hispanic	13	3	16	4 %
30 - 34	38	9 %	Asian/Pacific Islander	1	1	2	<1 %
35 - 39	42	10 %	American Indian	1	2	3	1 %
40 - 44	51	12 %	Multi-race	2	1	3	1 %
45 - 49	75	18 %	Total	296	124	420	100 %
50 - 54	65	15 %					
55 - 59	57	14 %					
60+	43	10 %					
Total	420	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	153	0	153	53 %
Injection drug use	28	12	40	14 %
Men who have sex with men and inject drugs	12	0	12	4 %
Heterosexual contact	22	55	77	27 %
Transfusion/Hemophilia	0	1	1	<1 %
Perinatal	3	4	7	2 %
Total	218	72	290	100 %
No Identified Risk	<i>78</i>	52	130	

7

Persons Newly Diagnosed with HIV/AIDS Region 3: Houma Region

Assumption, Lafourche, St. Charles, St. James, St. John the Baptist, St. Mary, Terrebonne Parishes

HIV CASES DIAGNOSED January - December 2011

• 57 persons were newly diagnosed with HIV in Region 3.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	44	77 %	Black, Non-Hispanic	40	70 %
Women	13	23 %	White, Non-Hispanic	12	21 %
Total	57	100 %	Hispanic	5	9 %
			Total	57	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	21	37 %	Men who have sex with men	27	57 %
25 - 34	12	21 %	Injection drug use	3	6 %
35 - 44	10	18 %	Heterosexual contact	17	36 %
45+	14	25 %	Total	47	100 %
Total	57	100 %			
			No Identified Risk	10	

AIDS CASES DIAGNOSED January - December 2011

• 30 persons were newly diagnosed with AIDS in Region 3.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	25	83 %	Black, Non-Hispanic	20	67 %
Women	5	17 %	White, Non-Hispanic	5	17 %
Total	30	100 %	Hispanic	5	17 %
			Total	30	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	3	10 %	Men who have sex with men	12	52 %
25 - 34	6	20 %	Injection drug use	3	13 %
35 - 44	10	33 %	Heterosexual contact	8	35 %
45+	11	37 %	Total	23	100 %
Total	30	100 %			

No Identified Risk

Persons Living with HIV/AIDS Region 4: Lafayette Region

as of September 30, 2012

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

- 2,087 cumulative cases have been detected in Region 4, including 17 pediatric cases.
- 946 cumulative deaths among persons in Region 4 with HIV/AIDS have occurred, including 10 pediatric deaths.
- 1,430 persons are currently living with HIV/AIDS in Region 4.

Persons living with HIV: 647 Persons living with AIDS: 783

Gender

	Cases	Percent		
Women	368	26 %		
Men	1,062	74 %		
Total	1,430	100 %		

Age Category			Race/Ethnicity				
Current Age	Cases	Percent	.	Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	561	261	822	57 %
13 - 19	10	1 %	White, Non-Hispanic	438	96	534	37 %
20 - 24	60	4 %	Hispanic	51	3	54	4 %
25 - 29	101	7 %	Asian/Pacific Islander	1	2	3	<1 %
30 - 34	150	10 %	American Indian	2	1	3	<1 %
35 - 39	133	9 %	Unknown	1	0	1	<1 %
40 - 44	175	12 %	Multi-race	8	5	13	1 %
45 - 49	288	20 %	Total	1,062	368	1,430	100 %
50 - 54	234	16 %					
55 - 59	164	11 %					
60+	111	8 %					
Total	1,430	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	509	0	509	54 %
Injection drug use	76	44	120	13 %
Men who have sex with men and inject drugs	55	0	55	6 %
Heterosexual contact	73	168	241	26 %
Transfusion/Hemophilia	5	1	6	1 %
Confirmed Other	0	1	1	<1 %
Perinatal	6	6	12	1 %
Total	724	220	944	100 %
No Identified Risk	338	148	486	

Persons Living with AIDS Region 4: Lafayette Region as of September 30, 2012

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

- 1,397 cumulative AIDS cases have been diagnosed in Region 4, including 12 pediatric cases.
- 783 persons are currently living with AIDS in Region 4.

<u>Gender</u>	Cases	Percent		
Women	185	24 %		
Men	598	76 %		
Total	783	100 %		

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	305	137	442	56 %
13 - 19	5	1 %	White, Non-Hispanic	265	44	309	39 %
20 - 24	13	2 %	Hispanic	24	1	25	3 %
25 - 29	37	5 %	Asian/Pacific Islander	0	1	1	<1 %
30 - 34	73	9 %	Multi-race	4	2	6	1 %
35 - 39	71	9 %	Total	598	185	783	100 %
40 - 44	96	12 %					
45 - 49	180	23 %					
50 - 54	134	17 %					
55 - 59	105	13 %					
60+	68	9 %					
Total	783	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	299	0	299	55 %
Injection drug use	46	22	68	13 %
Men who have sex with men and inject drugs	39	0	39	7 %
Heterosexual contact	37	89	126	23 %
Transfusion/Hemophilia	3	1	4	1 %
Perinatal	1	5	6	1 %
Total	425	117	542	100 %
No Identified Risk	173	68	241	

Persons Newly Diagnosed with HIV/AIDS Region 4: Lafayette Region

Acadia, Evangeline, Iberia, Lafayette, St. Landry, St. Martin, Vermillion Parishes

HIV CASES DIAGNOSED January - December 2011

• 93 persons were newly diagnosed with HIV in Region 4.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	64	69 %	Black, Non-Hispanic	58	62 %
Women	29	31 %	White, Non-Hispanic	28	30 %
Total	93	100 %	Hispanic	6	6 %
			Multi-race	1	1 %
			Total	93	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	19	20 %	Men who have sex with men	40	59 %
25 - 34	28	30 %	Injection drug use	9	13 %
35 - 44	23	25 %	Men who have sex with men and inject drugs	1	1 %
45+	23	25 %	Heterosexual contact	18	26 %
Total	93	100 %	Total	68	100 %

No Identified Risk 25

AIDS CASES DIAGNOSED January - December 2011

• 56 persons were newly diagnosed with AIDS in Region 4.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	42	75 %	Black, Non-Hispanic	38	68 %
Women	14	25 %	White, Non-Hispanic	16	29 %
Total	56	100 %	Hispanic	2	4 %
			Total	56	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	5	9 %	Men who have sex with men	26	65 %
25 - 34	16	29 %	Injection drug use	5	12 %
35 - 44	15	27 %	Heterosexual contact	8	20 %
45+	20	36 %	Perinatal	1	2 %
Total	56	100 %	Total	40	100 %

No Identified Risk 16

Persons Living with HIV/AIDS Region 5: Lake Charles Region as of September 30, 2012

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- 1,328 cumulative cases have been detected in Region 5, including 10 pediatric cases.
- 514 cumulative deaths among persons in Region 5 with HIV/AIDS have occurred, including 2 pediatric deaths.
- 999 persons are currently living with HIV/AIDS in Region 5.

Persons living with HIV: **435** Persons living with AIDS: **564**

Gender

	Cases	Percent
Women	224	22 %
Men	775	78 %
Total	999	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	425	153	578	58 %
13 - 19	8	1 %	White, Non-Hispanic	255	62	317	32 %
20 - 24	41	4 %	Hispanic	81	5	86	9 %
25 - 29	71	7 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	96	10 %	American Indian	3	0	3	<1 %
35 - 39	131	13 %	Multi-race	7	4	11	1 %
40 - 44	145	15 %	Total	775	224	999	100 %
45 - 49	179	18 %					
50 - 54	173	17 %					
55 - 59	85	9 %					
60+	67	7 %					
Total	999	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	333	0	333	46 %
Injection drug use	92	30	122	17 %
Men who have sex with men and inject drugs	72	0	72	10 %
Heterosexual contact	84	98	182	25 %
Transfusion/Hemophilia	4	0	4	1 %
Perinatal	3	6	9	1 %
Total	588	134	722	100 %
No Identified Risk	187	90	277	

Persons Living with AIDS Region 5: Lake Charles Region as of September 30, 2012

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

- 916 cumulative AIDS cases have been diagnosed in Region 5, including 6 pediatric cases.
- 564 persons are currently living with AIDS in Region 5.

Gender	Cases	Percent		
Women	114	20 %		
Men	450	80 %		
Total	564	100 %		

Age Category			Race/Ethnicity				
Current Age	Cases	Percent	-	Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	251	76	327	58 %
13 - 19	5	1 %	White, Non-Hispanic	155	34	189	34 %
20 - 24	6	1 %	Hispanic	37	2	39	7 %
25 - 29	35	6 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	42	7 %	Multi-race	5	2	7	1 %
35 - 39	74	13 %	Total	450	114	564	100 %
40 - 44	90	16 %					
45 - 49	111	20 %					
50 - 54	111	20 %					
55 - 59	49	9 %					
60+	40	7 %					
Total	564	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	201	0	201	47 %
Injection drug use	62	21	83	19 %
Men who have sex with men and inject drugs	50	0	50	12 %
Heterosexual contact	44	45	89	21 %
Transfusion/Hemophilia	3	0	3	1 %
Perinatal	2	3	5	1 %
Total	362	69	431	100 %
No Identified Risk	88	45	133	

Persons Newly Diagnosed with HIV/AIDS Region 5: Lake Charles Region

Allen, Beauregard, Calcasieu, Cameron, Jefferson Davis Parishes

HIV CASES DIAGNOSED January - December 2011

• 54 persons were newly diagnosed with HIV in Region 5.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	38	70 %	Black, Non-Hispanic	37	69 %
Women	16	30 %	White, Non-Hispanic	14	26 %
Total	54	100 %	Hispanic	2	4 %
			Multi-race	1	2 %
			Total	54	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	22	52 %
13 - 24	13	24 %	Injection drug use	2	5 %
25 - 34	16	30 %	Men who have sex with men and inject drugs	1	2 %
35 - 44	7	13 %	Heterosexual contact	16	38 %
45+	17	31 %	Perinatal	1	2 %
Total	54	100 %	Total	42	100 %

No Identified Risk 12

AIDS CASES DIAGNOSED January - December 2011

• 41 persons were newly diagnosed with AIDS in Region 5.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	33	80 %	Black, Non-Hispanic	25	61 %
Women	8	20 %	White, Non-Hispanic	12	29 %
Total	41	100 %	Hispanic	3	7 %
			Multi-race	1	2 %
			Total	41	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	4	10 %	Men who have sex with men	17	55 %
25 - 34	13	32 %	Injection drug use	6	19 %
35 - 44	8	20 %	Men who have sex with men and inject drugs	1	3 %
45+	16	39 %	Heterosexual contact	7	23 %
Total	41	100 %	Total	31	100 %

No Identified Risk 10

Persons Living with HIV/AIDS

Region 6: Alexandria Region as of September 30, 2012

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- 1,406 cumulative cases have been detected in Region 6, including 15 pediatric cases.
- 509 cumulative deaths among persons in Region 6 with HIV/AIDS have occurred, including 4 pediatric deaths.
- 809 persons are currently living with HIV/AIDS in Region 6.

Persons living with HIV: 397 Persons living with AIDS: 412

Gender

	Cases	Percent
Women	262	32 %
Men	547	68 %
Total	809	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	4	<1 %	Black, Non-Hispanic	344	206	550	68 %
13 - 19	8	1 %	White, Non-Hispanic	157	49	206	25 %
20 - 24	32	4 %	Hispanic	40	4	44	5 %
25 - 29	58	7 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	96	12 %	American Indian	0	1	1	<1 %
35 - 39	111	14 %	Multi-race	4	2	6	1 %
40 - 44	101	12 %	Total	547	262	809	100 %
45 - 49	133	16 %					
50 - 54	122	15 %					
55 - 59	86	11 %					
60+	58	7 %					
Total	809	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	215	0	215	40 %
Injection drug use	50	27	77	14 %
Men who have sex with men and inject drugs	38	0	38	7 %
Heterosexual contact	65	125	190	35 %
Transfusion/Hemophilia	7	1	8	1 %
Perinatal	6	3	9	2 %
Total	381	156	537	100 %
No Identified Risk	166	106	272	

Persons Living with AIDS Region 6: Alexandria Region as of September 30, 2012

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

- 870 cumulative AIDS cases have been diagnosed in Region 6, including 6 pediatric cases.
- 412 persons are currently living with AIDS in Region 6.

<u>Gender</u>	Cases	Percent	
Women	127	31 %	
Men	285	69 %	
Total	412	100 %	

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	188	100	288	70 %
13 - 19	2	<1 %	White, Non-Hispanic	84	25	109	26 %
20 - 24	10	2 %	Hispanic	11	1	12	3 %
25 - 29	15	4 %	Asian/Pacific Islander	1	0	1	<1 %
30 - 34	39	9 %	Multi-race	1	1	2	<1 %
35 - 39	56	14 %	Total	285	127	412	100 %
40 - 44	56	14 %					
45 - 49	75	18 %					
50 - 54	71	17 %					
55 - 59	48	12 %					
60+	39	9 %					
Total	412	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	106	0	106	37 %
Injection drug use	26	16	42	15 %
Men who have sex with men and inject drugs	29	0	29	10 %
Heterosexual contact	36	61	97	34 %
Transfusion/Hemophilia	5	0	5	2 %
Perinatal	2	2	4	1 %
Total	204	79	283	100 %
No Identified Risk	81	48	129	

Persons Newly Diagnosed with HIV/AIDS Region 6: Alexandria Region

Avoyelles, Catahoula, Concordia, Grant, La Salle, Rapides, Vernon, Winn Parishes

HIV CASES DIAGNOSED January - December 2011

• 66 persons were newly diagnosed with HIV in Region 6.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	46	70 %	Black, Non-Hispanic	34	52 %
Women	20	30 %	White, Non-Hispanic	15	23 %
Total	66	100 %	Hispanic	17	26 %
			Total	66	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	20	56 %
13 - 24	13	20 %	Injection drug use	2	6 %
25 - 34	19	29 %	Men who have sex with men and inject drugs	1	3 %
35 - 44	15	23 %	Heterosexual contact	12	33 %
45+	18	27 %	Perinatal	1	3 %
Total	66	100 %	Total	36	100 %

No Identified Risk 30

AIDS CASES DIAGNOSED January - December 2011

• 41 persons were newly diagnosed with AIDS in Region 6.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	26	63 %	Black, Non-Hispanic	28	68 %
Women	15	37 %	White, Non-Hispanic	9	22 %
Total	41	100 %	Hispanic	4	10 %
			Total	41	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
0 - 12	1	2 %	Men who have sex with men	10	40 %
13 - 24	5	12 %	Injection drug use	5	20 %
25 - 34	7	17 %	Heterosexual contact	9	36 %
35 - 44	16	39 %	Perinatal	1	4 %
45+	12	29 %	Total	25	100 %
Total	41	100 %			
			No Identified Risk	16	

Persons Living with HIV/AIDS Region 7: Shreveport Region

as of September 30, 2012

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- **2,246** cumulative cases have been detected in Region 7, including **27** pediatric cases.
- 1,002 cumulative deaths among persons in Region 7 with HIV/AIDS have occurred, including 11 pediatric deaths.
- 1,506 persons are currently living with HIV/AIDS in Region 7.

Persons living with HIV: 722 Persons living with AIDS: 784

Gender

	Cases	Percent
Women	439	29 %
Men	1,067	71 %
Total	1,506	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	3	<1 %	Black, Non-Hispanic	728	356	1084	72 %
13 - 19	21	1 %	White, Non-Hispanic	302	76	378	25 %
20 - 24	116	8 %	Hispanic	19	5	24	2 %
25 - 29	155	10 %	Asian/Pacific Islander	4	0	4	<1 %
30 - 34	196	13 %	American Indian	7	1	8	1 %
35 - 39	167	11 %	Multi-race	7	1	8	1 %
40 - 44	187	12 %	Total	1,067	439	1,506	100 %
45 - 49	209	14 %					
50 - 54	201	13 %					
55 - 59	140	9 %					
60+	111	7 %					
Total	1,506	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	562	0	562	54 %
Injection drug use	62	42	104	10 %
Men who have sex with men and inject drugs	84	0	84	8 %
Heterosexual contact	80	200	280	27 %
Transfusion/Hemophilia	3	3	6	1 %
Perinatal	7	7	14	1 %
Total	798	252	1,050	100 %
No Identified Risk	269	187	456	

Persons Living with AIDS Region 7: Shreveport Region as of September 30, 2012

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

- 1,472 cumulative AIDS cases have been diagnosed in Region 7, including 19 pediatric cases.
- 784 persons are currently living with AIDS in Region 7.

<u>Gender</u>	Cases	Percent		
Women	215	27 %		
Men	569	73 %		
Total	784	100 %		

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	388	177	565	72 %
13 - 19	8	1 %	White, Non-Hispanic	162	34	196	25 %
20 - 24	36	5 %	Hispanic	9	3	12	2 %
25 - 29	50	6 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	76	10 %	American Indian	5	0	5	1 %
35 - 39	83	11 %	Multi-race	3	1	4	1 %
40 - 44	102	13 %	Total	569	215	784	100 %
45 - 49	127	16 %					
50 - 54	130	17 %					
55 - 59	101	13 %					
60+	70	9 %					
Total	784	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	278	0	278	49 %
Injection drug use	43	15	58	10 %
Men who have sex with men and inject drugs	55	0	55	10 %
Heterosexual contact	59	107	166	29 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	3	5	8	1 %
Total	440	130	570	100 %
No Identified Risk	129	85	214	

Persons Newly Diagnosed with HIV/AIDS Region 7: Shreveport Region

Bienville, Bossier, Caddo, Claiborne, DeSoto, Natchitoches, Red River, Sabine, Webster Parishes

HIV CASES DIAGNOSED January - December 2011

• 129 persons were newly diagnosed with HIV in Region 7.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	96	74 %	Black, Non-Hispanic	110	85 %
Women	33	26 %	White, Non-Hispanic	14	11 %
Total	129	100 %	Hispanic	2	2 %
			Asian/Pacific Islander	1	1 %
			American Indian	2	2 %
			Total	129	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	50	39 %	Men who have sex with men	63	77 %
25 - 34	42	33 %	Injection drug use	1	1 %
35 - 44	17	13 %	Men who have sex with men and inject drugs	1	1 %
45+	20	16 %	Heterosexual contact	17	21 %
Total	129	100 %	Total	82	100 %

No Identified Risk 47

AIDS CASES DIAGNOSED January - December 2011

• 66 persons were newly diagnosed with AIDS in Region 7.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	48	73 %	Black, Non-Hispanic	57	86 %
Women	18	27 %	White, Non-Hispanic	9	14 %
Total	66	100 %	Total	66	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	13	20 %	Men who have sex with men	25	66 %
25 - 34	22	33 %	Injection drug use	1	3 %
35 - 44	16	24 %	Men who have sex with men and inject drugs	1	3 %
45+	15	23 %	Heterosexual contact	11	29 %
Total	66	100 %	Total	38	100 %

No Identified Risk 28

Persons Living with HIV/AIDS

Region 8: Monroe Region as of September 30, 2012

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

 \bullet 1,631 cumulative cases have been detected in Region 8,

including 17 pediatric cases.

• 678 cumulative deaths among persons in Region 8 with HIV/AIDS have occurred,

including 4 pediatric deaths.

• 991 persons are currently living with HIV/AIDS in Region 8.

Persons living with HIV: 466 Persons living with AIDS: 525

Gender

	Cases	Percent
Women	352	36 %
Men	639	64 %
Total	991	100 %

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	6	1 %	Black, Non-Hispanic	449	300	749	76 %
13 - 19	14	1 %	White, Non-Hispanic	166	45	211	21 %
20 - 24	46	5 %	Hispanic	15	4	19	2 %
25 - 29	74	7 %	Asian/Pacific Islander	3	1	4	<1 %
30 - 34	132	13 %	American Indian	2	0	2	<1 %
35 - 39	119	12 %	Unknown	1	0	1	<1 %
40 - 44	124	13 %	Multi-race	3	2	5	1 %
45 - 49	148	15 %	Total	639	352	991	100 %
50 - 54	137	14 %					
55 - 59	111	11 %					
60+	80	8 %					
Total	991	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	320	0	320	47 %
Injection drug use	42	36	78	11 %
Men who have sex with men and inject drugs	39	0	39	6 %
Heterosexual contact	72	158	230	34 %
Transfusion/Hemophilia	2	3	5	1 %
Perinatal	4	8	12	2 %
Total	479	205	684	100 %
No Identified Risk	160	147	307	

Persons Living with AIDS Region 8: Monroe Region as of September 30, 2012

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

- 1,047 cumulative AIDS cases have been diagnosed in Region 8, including 8 pediatric cases.
- 525 persons are currently living with AIDS in Region 8.

<u>Gender</u>	Cases	Percent		
Women	171	33 %		
Men	354	67 %		
Total	525	100 %		

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
0 - 12	1	<1 %	Black, Non-Hispanic	244	146	390	74 %
13 - 19	4	1 %	White, Non-Hispanic	97	22	119	23 %
20 - 24	12	2 %	Hispanic	10	2	12	2 %
25 - 29	21	4 %	Asian/Pacific Islander	2	0	2	<1 %
30 - 34	60	11 %	Multi-race	1	1	2	<1 %
35 - 39	75	14 %	Total	354	171	525	100 %
40 - 44	72	14 %					
45 - 49	83	16 %					
50 - 54	78	15 %					
55 - 59	70	13 %					
60+	49	9 %					
Total	525	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	164	0	164	44 %
Injection drug use	25	24	49	13 %
Men who have sex with men and inject drugs	28	0	28	7 %
Heterosexual contact	47	80	127	34 %
Transfusion/Hemophilia	2	1	3	1 %
Perinatal	3	1	4	1 %
Total	269	106	375	100 %
No Identified Risk	85	65	150	

Persons Newly Diagnosed with HIV/AIDS Region 8: Monroe Region

Caldwell, E. Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Richland, Tensas, Union, W. Carroll Parishes

HIV CASES DIAGNOSED January - December 2011

• 72 persons were newly diagnosed with HIV in Region 8.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	50	69 %	Black, Non-Hispanic	53	74 %
Women	22	31 %	White, Non-Hispanic	14	19 %
Total	72	100 %	Hispanic	3	4 %
			Asian/Pacific Islander	1	1 %
			Multi-race	1	1 %
			Total	72	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	20	28 %	Men who have sex with men	29	55 %
25 - 34	15	21 %	Men who have sex with men and inject drugs	2	4 %
35 - 44	16	22 %	Heterosexual contact	22	42 %
45+	21	29 %	Total	53	100 %
Total	72	100 %			
			No Identified Risk	19	

AIDS CASES DIAGNOSED January - December 2011

• 38 persons were newly diagnosed with AIDS in Region 8.

<u>Gender</u>	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	26	68 %	Black, Non-Hispanic	26	68 %
Women	12	32 %	White, Non-Hispanic	11	29 %
Total	38	100 %	Hispanic	1	3 %
			Total	38	100 %

Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	4	11 %	Men who have sex with men	15	56 %
25 - 34	13	34 %	Injection drug use	1	4 %
35 - 44	10	26 %	Men who have sex with men and inject drugs	1	4 %
45+	11	29 %	Heterosexual contact	10	37 %
Total	38	100 %	Total	27	100 %

No Identified Risk

11

Persons Living with HIV/AIDS Region 9: Hammond/Slidell Region as of September 30, 2012

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- 1,462 cumulative cases have been detected in Region 9, including 18 pediatric cases.
- 609 cumulative deaths among persons in Region 9 with HIV/AIDS have occurred, including 7 pediatric deaths.
- 1,098 persons are currently living with HIV/AIDS in Region 9.

Persons living with HIV: **491** Persons living with AIDS: **607**

Gender

	Cases	Percent		
Women	293	27 %		
Men	805	73 %		
Total	1.098	100 %		

Age Category			Race/Ethnicity				
Current Age	Cases	Percent	<u> </u>	Men	Women	Total	Percent
0 - 12	8	1 %	Black, Non-Hispanic	363	188	551	50 %
13 - 19	4	<1 %	White, Non-Hispanic	412	96	508	46 %
20 - 24	45	4 %	Hispanic	21	8	29	3 %
25 - 29	69	6 %	Asian/Pacific Islander	2	1	3	<1 %
30 - 34	95	9 %	American Indian	1	0	1	<1 %
35 - 39	118	11 %	Multi-race	6	0	6	1 %
40 - 44	159	14 %	Total	805	293	1,098	100 %
45 - 49	209	19 %					
50 - 54	184	17 %					
55 - 59	111	10 %					
60+	96	9 %					
Total	1,098	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	425	0	425	55 %
Injection drug use	67	47	114	15 %
Men who have sex with men and inject drugs	50	0	50	6 %
Heterosexual contact	60	107	167	21 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	10	7	17	2 %
Total	618	161	779	100 %
No Identified Risk	187	132	319	

Persons Living with AIDS Region 9: Hammond/Slidell Region as of September 30, 2012

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

- 999 cumulative AIDS cases have been diagnosed in Region 9, including 10 pediatric cases.
- 607 persons are currently living with AIDS in Region 9.

<u>Gender</u>	Cases	Percent		
Women	139	23 %		
Men	468	77 %		
Total	607	100 %		

Age Category			Race/Ethnicity				
Current Age	Cases	Percent		Men	Women	Total	Percent
13 - 19	1	<1 %	Black, Non-Hispanic	207	88	295	49 %
20 - 24	10	2 %	White, Non-Hispanic	242	46	288	47 %
25 - 29	22	4 %	Hispanic	12	5	17	3 %
30 - 34	40	7 %	Asian/Pacific Islander	1	0	1	<1 %
35 - 39	61	10 %	American Indian	1	0	1	<1 %
40 - 44	86	14 %	Multi-race	5	0	5	1 %
45 - 49	136	22 %	Total	468	139	607	100 %
50 - 54	114	19 %					
55 - 59	70	12 %					
60+	67	11 %					
Total	607	100 %					

Cases with a reported risk:	Men	Women	Total	Percent
Men who have sex with men	242	0	242	55 %
Injection drug use	49	25	74	17 %
Men who have sex with men and inject drugs	28	0	28	6 %
Heterosexual contact	35	51	86	19 %
Transfusion/Hemophilia	6	0	6	1 %
Perinatal	5	2	7	2 %
Total	365	78	443	100 %
No Identified Risk	103	61	164	

Persons Newly Diagnosed with HIV/AIDS Region 9: Hammond/Slidell Region

Livingston, St. Helena, St. Tammany, Tangipahoa, Washington Parishes

HIV CASES DIAGNOSED January - December 2011

• 69 persons were newly diagnosed with HIV in Region 9.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	44	64 %	Black, Non-Hispanic	46	67 %
Women	25	36 %	White, Non-Hispanic	21	30 %
Total	69	100 %	Hispanic	2	3 %
			Total	69	100 %

Age at Detection	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	15	22 %	Men who have sex with men	23	52 %
25 - 34	17	25 %	Injection drug use	5	11 %
35 - 44	17	25 %	Men who have sex with men and inject drugs	1	2 %
45+	20	29 %	Heterosexual contact	15	34 %
Total	69	100 %	Total	44	100 %

No Identified Risk 25

AIDS CASES DIAGNOSED January - December 2011


• 43 persons were newly diagnosed with AIDS in Region 9.

Gender	Cases	Percent	Race/Ethnicity	Cases	Percent
Men	35	81 %	Black, Non-Hispanic	26	60 %
Women	8	19 %	White, Non-Hispanic	15	35 %
Total	43	100 %	Hispanic	1	2 %
			Multi-race	1	2 %
			Total	43	100 %


Age at Diagnosis	Cases	Percent	Cases with a reported risk:	Cases	Percent
13 - 24	4	9 %	Men who have sex with men	15	58 %
25 - 34	8	19 %	Injection drug use	4	15 %
35 - 44	15	35 %	Heterosexual contact	6	23 %
45+	16	37 %	Perinatal	1	4 %
Total	43	100 %	Total	26	100 %

No Identified Risk 17

10-Year Trends in New HIV Diagnoses and New AIDS Diagnoses Louisiana, (2002-2011)




^{*}The number of new HIV diagnoses in 2011 is subject to change as the data are not finalized.




^{*} The number of new AIDS diagnoses in 2011 is subject to change as the data are not finalized.

10-Year Trends in Persons Living With HIV/AIDS and Persons Living with AIDS Louisiana (2002-2011)



*The number of persons living with HIV/AIDS in 2011 is an overestimate because the 2011 death registry match has not occurred as of September 30, 2012.



*The number of persons living with AIDS in 2011 is an overestimate because the 2011 death registry match has not occurred as of September 30, 2012.